
Safety data sheet according to 1907/2006/EC, Article 31



ULM/

Version number 3

Revision: 01.02.2023





Safety data sheet according to 1907/2006/EC, Article 31

Version number 3

Revision: 01.02.2023

Trade name: Saurer Reiniger für Filtermatten

	(Contd. of page 1)
· Precautionary s	tatements
P260	Do not breathe dusts or mists.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P35	3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
· 2.3 Other hazard	ls
· Results of PBT a	and vPvB assessment

· PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:					
	Alkylphosphorsäureester	7.5 - < 10%			
	Skin Corr. 1B, H314				
CAS: 77-92-9	citric acid	2.5 - < 5%			
EINECS: 201-069-1	🚯 Eye Irrit. 2, H319; STOT SE 3, H335				
CAS: 160901-09-7	Alcohols, C9-11, branched and linear, ethoxylated Alternative CAS number: 68439-46-3	≥3 - < 5%			
	📀 Eye Dam. 1, H318; 🚯 Acute Tox. 4, H302				
CAS: 97489-15-1	Sulfonsäure, C14-17-sec-Alkan-, Natriumsalz Alternative CAS number: 68188-18-1	< 2.5%			
Regulation (EC) No	Regulation (EC) No 648/2004 on detergents / Labelling for contents				
non-ionic surfactants, anionic surfactants					
pyridine-2-thiol 1-oxi	de, sodium salt, BENZISOTHIAZOLINONE				

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2023 Version number 3

Revision: 01.02.2023

Trade name: Saurer Reiniger für Filtermatten

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. of page 2)

5 Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions: Dilute with plenty of water.
- 6.2 Environmental precautions: Dilute with plenty of water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling.
- See Section 7 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 8 B
- · 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

(Contd. on page 4)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2023

ULM A

Version number 3

Revision: 01.02.2023

(Contd. of page 3)

Trade name: Saurer Reiniger für Filtermatten

Wash hands before breaks and at the end	(Contd. of page 3)
As a laterate at suith the second such a later	I OF WORK.
Avoid contact with the eyes and skin. Respiratory protection: Use suitable res	piratory protective device in case of insufficient ventilation.
Protection of hands:	
Acid resistant gloves	n to the glove material can be given for the product/ the
preparation/ the chemical mixture.	n to the give material can be given for the product the
	- if necessary tricoted to improve the wearability.
Protective gloves	
Only use chemical-protective gloves with	CE-labelling of category III.
The glove material has to be imperme	eable and resistant to the product/ the substance/ the
preparation. Selection of the glove material on consid	eration of the penetration times, rates of diffusion and the
degradation	eration of the penetration times, rates of dinusion and the
Material of gloves	
Butyl rubber, BR	
Nitrile rubber, NBR Recommended thickness of the material:	< 0.4 mm
PVC or PE gloves	20.4 11111
Synthetic rubber gloves	
	not only depend on the material, but also on further marks
	o manufacturer. As the product is a preparation of several
to be checked prior to the application.	aterial can not be calculated in advance and has therefore
Penetration time of glove material	
	ound out by the manufacturer of the protective gloves and
has to be observed.	
Eye protection:	
Tightly sealed goggles	
Physical and chemical propertie	S
9.1 Information on basic physical and o General Information	
9.1 Information on basic physical and o General Information Appearance:	chemical properties
9.1 Information on basic physical and o General Information Appearance: Form:	chemical properties
9.1 Information on basic physical and o General Information Appearance: Form: Colour:	chemical properties Liquid Colourless
9.1 Information on basic physical and o General Information Appearance: Form: Colour: Odour:	chemical properties
9.1 Information on basic physical and o General Information Appearance: Form: Colour: Odour: Odour threshold:	chemical properties Liquid Colourless Recognisable
9.1 Information on basic physical and o General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C:	chemical properties Liquid Colourless Recognisable Not determined.
9.1 Information on basic physical and o General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point:	Chemical properties Liquid Colourless Recognisable Not determined. 1 Undetermined.
9.1 Information on basic physical and o General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling range	<i>chemical properties Liquid Colourless Recognisable Not determined. 1 Undetermined. : 100 °C</i>
9.1 Information on basic physical and o General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling range. Flash point:	chemical properties Liquid Colourless Recognisable Not determined. 1 Undetermined. : 100 °C Does not support combustion.
 9.1 Information on basic physical and of General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling range Flash point: Flammability (solid, gas): 	Chemical properties Liquid Colourless Recognisable Not determined. 1 Undetermined. : 100 °C Does not support combustion. Not applicable.
 9.1 Information on basic physical and of General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling range Flash point: Flammability (solid, gas): Decomposition temperature: 	Chemical properties Liquid Colourless Recognisable Not determined. 1 Undetermined. : 100 °C Does not support combustion. Not applicable. Not determined.
Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point:	Chemical properties Liquid Colourless Recognisable Not determined. 1 Undetermined. : 100 °C Does not support combustion. Not applicable.

(Contd. on page 5)

GB



Version number 3

Revision: 01.02.2023

Trade name: Saurer Reiniger für Filtermatten

	(Contd. of page 4
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density at 20 °C:	~ 1.2 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	81.0 %
· 9.2 Other information	No further relevant information available.

10 Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with metals forming hydrogen. Reacts with alkali (lyes). Reaction with chloric cleaners
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:
- Warning! Do not use together with other products. May release dangerous gases (chlorine).
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:
- 77-92-9 citric acid
- Oral LD50 5,040 mg/kg (mouse)
- 160901-09-7 Alcohols, C9-11, branched and linear, ethoxylated
- Oral LD50 500 mg/kg (ATE)
- 97489-15-1 Sulfonsäure, C14-17-sec-Alkan-, Natriumsalz
- Oral LD50 500 mg/kg (ATE)
- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- Serious eye damage/irritation
- Causes serious eye damage.

(Contd. on page 6)

GB

JLM.

Version number 3

Revision: 01.02.2023

(Contd. of page 5)

Trade name: Saurer Reiniger für Filtermatten

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Non contaminated packagings may be recycled.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

JN3265
265 CORROSIVE LIQUID, ACIDIC, ORGANIC,
I.O.S. (PHOSPHORIC ACID, SOLUTION)
CORRÒSIVE LIQUID, ACIDÍC, ORGANIĆ, N.O.S.
PHOSPHORIC ACID, SOLUTION)
3



Version number 3

Revision: 01.02.2023

Trade name: Saurer Reiniger für Filtermatten

	(Contd. of page 6
14.3 Transport hazard class(es)	
ADR	
8	
Class	8 (C1) Corrosive substances.
Label	8
IMDG, IATA	
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
and the second s	
$\checkmark$	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDG, IATA	111
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code)	
EMS Number:	F-A,S-B
Segregation groups Stowage Category	(SGG1) Acids A
Stowage Code	SW2 Clear of living quarters.
14.7 Transport in bulk according to Annex I	
of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
· · · /	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 100
Transport optogon	ml 2
Transport category Tunnel restriction code	3 E
IMDG Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 100
	ml
	UN 3265 CORROSIVE LIQUID, ACIDIC
UN "Model Regulation":	
UN "Model Regulation":	ORGANIC, N.O.S. (PHOSPHORIC ACID SOLUTION), 8, III

(Contd. on page 8)

ULM≁

Version number 3

Revision: 01.02.2023

#### Trade name: Saurer Reiniger für Filtermatten

(Contd. of page 7)


5 Regulatory	r information
mixture Labelling acc	health and environmental regulations/legislation specific for the substance of cording to Regulation (EC) No 1272/2008 s classified and labelled according to the GB CLP regulation. grams
GHS05	g
· Signal word	Danger
-	mining components of labelling:
Alkylphosphor	
	11, branched and linear, ethoxylated
· Hazard state	
	severe skin burns and eye damage.
· Precautionar	ry statements
P260	Do not breathe dusts or mists.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
P303+P361+F	protection. P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skir with water [or shower].
P305+P351+F	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contac lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national international regulations.
Directive 201 Named dang	2/18/EU erous substances - ANNEX I None of the ingredients is listed.
National regu	ulations:
· Information a Employment r	about limitation of use: restrictions concerning juveniles must be observed. al safety assessment: A Chemical Safety Assessment has not been carried out.
	mation on is based on our present knowledge. However, this shall not constitute a guarantee ic product features and shall not establish a legally valid contractual relationship.
Relevant phr H302 Harmful H314 Causes H315 Causes H318 Causes	rases I if swallowed. severe skin burns and eye damage.

· Department issuing SDS: Abteilung Produktsicherheit

Contact: Abteilung QM

• Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 9)



# Safety data sheet according to 1907/2006/EC, Article 31

Version number 3

Revision: 01.02.2023

#### Trade name: Saurer Reiniger für Filtermatten

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 1 Eye Dam. 1: Serious eye damage/eye irritation – Category 2	(Contd. of page 8)
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • * Data compared to the previous version altered.	
	GB